


PROFESSIONAL AIR PURIFIERS



**Ningbo Toller Electrical Appliance Co., Ltd.**

Industrial Park, Simen Town, Yuyao, Ningbo, Zhejiang, China 315470  
Tel: 0574-62132755 62132783 Fax: 0574-62131720  
[www.cnifamily.com](http://www.cnifamily.com)





**HEALTHY OUTDOOR ENVIRONMENT  
TAKE HOME**

EAGERLY ANTICIPATES THE  
MARKET TIDAL CURRENT,  
GUIDING THE  
CONSUMPTION CONCEPT.





## CONTENTS

01-10

### Company Introduction

History and Features of Ifamily Air Purifiers

11-32

### Home-use Series

Euro-American design integrates with Japanese-Korean human intelligence perfectly, which is more beautiful and more customer-oriented. This series is tailor-made for the healthy life of Chinese families.

33-36

### Wall Mounted-ventilation Series

Designed for improving the quality of indoor air, a good to health.

37-46

### Portable Series

Compact and powerful design for car enthusiasts. Easy positioning and convenient operation. Health accompany you along the road.

47-80


### Desktop Series

Designed for desktop. Essential for metropolitan people to enjoy wonderful moments in healthy modern life.

81-98

### Outdoor series

Impact and powerful design for car enthusiasts. Easy positioning and convenient operation.



### 2011

The first to develop and manufacture car purifiers and sell them to many overseas markets with good recognition.

### 2012

Research deep into international and China markets and establish investment strategy in China home use air purifier market. Work with elites to set up the company blue print in future.

### 2013

With endeavor in design, research, manufacture and market, the company presented 4 series (more than 10 products) of excellent air purifiers. Determine iFamily brand strategy; Launch full product assortment in the market.

### 2014

Signed strategic cooperation agreement with renowned brands. Production exceeded one hundred thousand for the first time.

### 2015

Establish the strategic cooperation with famous brands around the world.

### 2016

New plant is put on production. The production capacity is up to one million annually.

### 2017

Multi-function Air purifier developing with humidify, dehumidify and heater etc.

### 2019

New test center built area 1200m<sup>2</sup> in 2019.

### 2020

Build intelligent warehouse, realize intelligent warehouse management.

### 2022

The second factory of Taller was completed, covering an area of more than 100,000 square meters, with an annual capacity of 5 million Air purifiers

## ABOUT US

Ningbo Taller started air purifier business in 2011 and has been dedicating to R&D, product design and manufacture of air purifiers in the past few years. With more than 25 years of manufacturing experiences in environment protection area such energy saving LED lights, fans and air purifiers as well as the cooperation with global famous brands.

The mother company cover an area of 50,000 square meters production area, with around 800 employees. Years ago, the company passed ISO9000, ISO14000 and ISO45001 quality certification as well as the international certifications such as UL, GS, CT and ETL.

With rapid development on Air products area, win the cooperation with global famous brands these years, iFamily swears to develop the innovative and high technology on the new product with multi-function, such like the purifier with humidifier, dehumidifier, heater, fan and ventilation.

As facing the serious air pollution in today' s world. iFamily will continue dedicating to the career of creating the fresh air, beautiful life for human' s environment.



## PRODUCTION AREA

800

Employees

50,000

Square Meters

There are 6 sections of the production area :

- Production area
- Package area
- Store area
- Test area
- Aging test area
- Workshop office

The air purifier workshop contains series of devices:

- 10 fully auto production lines
- Abnormal noise test chamber
- Automatic screwing machine
- Automatic packing machine

10 production lines for production, aging test, package. All devices ensure the production capacity exceed 8000 on day to reach customers' requirements more efficiently.



## HISTORICAL HONOR

- Ningbo famous brand products
- Air purifier (China) industry alliance senior member unit
- Zhejiang Patent Demonstration Enterprise
- High-tech enterprise
- Top ten modern management demonstration enterprises
- Ningbo export famous brand


## CADR & Formaldehyde test

CADR & Formaldehyde testing chamber, standard 30m<sup>3</sup> based on GB/T18801, two chambers with CADR & Formaldehyde test to meet the requirements of development and verification.



## Noise Test

Noise testing room built up based on the high standard with lower background noise, make sure noise testing in extreme quiet environment to read the accurate and reliable data.



## Air volume test

Air volume tester is used to test the product air volume, pressure drop, help to developing assessment.



## Constant temperature and humidity laboratory

The new constant temperature and humidity laboratory built with high-tech control system and accurate sensors, acting on the ventilation and humidifier development.



## Humidification performance test

Humidification performance testing chamber, standard based on GB/T 23332, It is mainly used for testing the humidification under the rated condition



## 4 Levels of Filtration, 3 Levels of Sterilises

Extremely thorough filter and sterilise design, multiple tested filter parts, and various specifications according to different customer needs, make iFamily air purifiers provide better purification effect and user experience than market competitions.





## Features of iFamily Air Purifiers

### Filters



#### Cylindric Composite Filter

360-degree with no dead corner in filtering, making filter more efficient and saving space.



#### Dual Inlets of Wind

Dual inlets greatly enhance the efficiency of wind inlet and expand cover area.



#### Pre-Filter

High Quality filter netting captures dust, fiber, hair and pet dander by size exclusion.



#### HEPA

Efficient HEPA filter removes 99% of smoke particles, pollen, 0.3-micrometer particles (PM2.5) and all kinds of allergen.



#### Anti-Bacteria Layer

Anti-bacteria layer prevents mold spores which avoids the further pollution.



#### Activated Carbon

Activated carbon absorbs all kinds of odor, volatile chemicals as well as poisoned heavy metal on a molecular basis.



#### Formaldehyde Cleansing

Designed especially for getting rid of formaldehyde, acetone, benzene compounds etc which are produced during refurbishment.



#### Photocatalytic Filter

Photocatalytic Oxidation catalyse and degrade poisonous organic contaminants, oxidise bacteria and viruses as well as adsorb odor and prevent dirt.



#### UVC Sterilizer

Ultraviolet germicidal irradiation - UVGI kills all kinds of bacteria by destroying DNA of micro-organisms.

### Filters



#### Polarized-Media Sterilizer

Polarized-media technology captures over 99% dust, VOCs, and bacteria such as escherichia coli, staphylococcus aureus and candida albicans.

### Basic



#### Rechargeable Battery

Built-in high performance lithium-ion batteries.



#### Ultra Silence DC Motor

The motor adopts Panasonic technology, ensures energy saving and environment friendly, ultra silence.



#### Intelligent Digital Display

Large screen with HD smart digital display, providing clear readout of air quality.



#### Odor & Dust Sensor

Precise odor and dust sensors monitor the air quality any time.



#### Auto Mode

Monitor the air quality any time and turn on the right working programs automatically when necessary. "One Button" operation starts your clean journey. Simple, no concern and energy saving.



#### Timer

Time-on and time-off.



#### Wind speed

Different choices of wind speed from silence mode to strong wind. It also has intelligent auto setting mode.

### Basic



#### Ultra Silence Mode

Ultra silence and energy saving guarantee you a quiet and clean dream.



#### Filter Replace Reminder

Housekeeping design reminds you of filter netting replacement when needed.

### Optional



#### APP Control

Monitor your home air quality and remote control your air purifier with mobile APP anywhere and any time.



#### Control Lock

Lock system provides safety for your family.



#### Remote Control

Wireless remote control makes operation easy and convenient.



#### Humidifier

Humidifier makes you away from dryness and keeps clean and humid.



#### Aroma Dispenser

Perfume dispenser fills the room with your favorite smell.



## Home-use Series

Euro-American design integrates with Japanese-Korean human intelligence perfectly, which is more beautiful and more customer-oriented. This series is tailor-made for the healthy life of Chinese families.

# TL2848

Multi-Function Air Purifier  
House-use Series








## Basic Information

- PCADR:400m³/h
- PCCM:P4
- Noise level:≤66dB(A)
- Application area:28-48m²
- FCADR:200m³/h
- FCCM:F4
- Net weight:6.73KG
- Power consumption:33W

Product Dimensions: 318(W) x 318(D) x 595(H)mm



TL2848

-  Auto mode
-  APP Wi-Fi
-  Child lock
-  Ultra Silence Mode
-  Filter Replace Reminder

### Basic Information

- PCADR:300m³/h
- PCCM:P3
- Noise level:≤66dB(A)
- Application area:21-36m²
- FCADR:60m³/h
- FCCM:F2
- Net weight:9.5KG
- Power consumption:50W

Product Dimensions: 380(W) x 194(D) x 582(H)mm



TL2811



Timer



Ultra Silence Mode



Filter Replace Reminder



Child lock










### Basic Information

- PCADR:800m³/h
- PCCM:P4
- Noise level:≤68dB(A)
- Application area:56-96m²
- FCADR:300m³/h
- FCCM:F4
- Net weight:13KG
- Power consumption:80W

Product Dimensions: 383(W) x 360(D) x 631(H)mm



TL2822

-  Auto mode
-  Child lock
-  APP Wi-Fi
-  Ultra Silence Mode
-  Timer
-  PM2.5 Digital display
-  Filter Replace Reminder



TL2822

Multi-Function Air Purifier  
House-use Series

# TL2850

Multi-Function Air Purifier  
House-use Series



## Basic Information

- PCADR:520/800m³/h
- Application area:36-62/56-96m²
- Noise level:≤64/70dB(A)
- FCADR: 200/400m³/h
- Power consumption:45/105W
- Net weight:9.5/12KG
- PCCM: P4
- FCCM: F4

Product Dimensions: 326(W) x 326(D) x 724(H)mm / 360(W) x 360(D) x 780(H)mm



TL2850



TL2851

- Auto mode
- Child lock
- Wi-Fi
- Ultra Silence Mode
- Timer
- Digital display
- Filter Replace Reminder








### Basic Information

- PCADR:800m³/h
- FCADR:400m³/h
- Noise level:≤68dB(A)
- Application area:56-96m²
- PCCM:P4
- FCCM:F4
- Net weight:14KG
- Power consumption:80W

Product Dimensions: 375(W) x 390(D) x 767(H)mm



TL2859

-  Auto mode
-  Child lock
-  APP Wi-Fi
-  Ultra Silence Mode
-  Timer
-  PM2.5 Digital display
-  Filter Replace Reminder



TL2859

Multi-Function Air Purifier  
House-use Series

# TL2846

Multi-Function Air Purifier  
House-use Series



### Basic Information

● PCADR:410m³/h	● Application area:28-49m²	● PCCM:P3
● FCADR:60m³/h	● Noise level:≤66dB(A)	● FCCM:F2
● Power consumption:54W	● Net weight:6.8KG/6.16KG	

Product Dimensions: 373(W) x 274(D) x 591(H)mm / 390(W) x 275(D) x 598(H)mm



TL2843



TL2846

- Auto mode
- Ultra Silence Mode
- Wi-Fi
- Filter Replace Reminder
- Digital display



# TL2887

Multi-Function Air Purifier  
House-use Series



## Basic Information

- PCADR:300/370/450m³/h
- Noise level:≤65/66/67dB(A)
- Net weight:6/7/12KG
- FCADR:100/120/150m³/h
- Power consumption:50/50/56W
- Application area:21-36/26-44/31-54m²
- PCCM:P4
- FCCM:F4

Product Dimensions: 387(W) x 190(D) x 545(H)mm / 387(W) x 280(D) x 545(H)mm  
380(W) x 207(D) x 487(H)mm



TL2885



TL2886



TL2887

- Auto mode
- Child lock
- APP
- Wi-Fi
- Ultra Silence Mode
- Timer
- PM2.5 Digital display
- Filter Replace Reminder

### Basic Information

- PCADR:100m³/h / 200m³/h / 350m³/h
- Application area:7-12m² / 14-24m² / 24-42m²
- Noise level:61/61/64dB(A)
- PCCM:P1/P1/P4
- Power consumption:10W/20W/30W
- FCADR:20m³/h / 20m³/h / 120m³/h
- FCCM:F1/F1/F4
- Net weight:2.35KG/3.5KG/6.5KG








Product Dimensions: Φ211 x 295(H)mm / Φ231 x 373(H)mm / Φ320 x 579(H)mm



TL2830

TL2829

TL2852

-  Auto mode
-  Child lock
-  Wi-Fi
-  Ultra Silence Mode
-  Timer
-  Digital display
-  Filter Replace Reminder



## TL2852

Multi-Function Air Purifier  
House-use Series

# TL2871

Multi-Function Air Purifier  
House-use Series



## Basic Information

- |                         |                            |                             |
|-------------------------|----------------------------|-----------------------------|
| ● PCADR:300m³/h         | ● Application area:21-36m² | ● PCCM:P4                   |
| ● FCADR:100m³/h         | ● Noise level:≤66dB(A)     | ● FCCM:F3                   |
| ● Power consumption:56W | ● Net weight:6.3KG         | ● Water tank capacity: 2.5L |

Product Dimensions: 350(W) x 220(D) x 533(H)mm



TL2871

- |            |                          |                         |
|------------|--------------------------|-------------------------|
| Auto mode  | Child lock               | Ultra Silence Mode      |
| Timer      | Wi-Fi                    | Filter Replace Reminder |
| Wind speed | humidification (500ml/h) |                         |






### Basic Information

● PCADR:480m³/h	● Application area:33-57m²	● PCCM:P4
● FCADR:150m³/h	● Noise level:≤66dB(A)	● FCCM:F4
● Power consumption:50W	● Net weight:7.5KG	

Product Dimensions: 321(W) x 321(D) x 657(H)mm



TL2835

- |  |   |  |
|--|---|--|
|  Wind speed |  Auto mode               |  Ultra Silence Mode |
|  Wi-Fi      |  Filter Replace Reminder |  Child lock         |



## TL2835

Multi-Function Air Purifier  
House-use Series


# Wall Mounted-ventilation Series

Designed for improving the quality of indoor air, a good to health.

### Basic Information

- PCADR:300m³/h
- PCCM:P4
- Noise level:66dB(A)
- Application area:21-36m²
- FCADR:100m³/h
- FCCM:F4
- Net weight:7KG
- Power consumption:42W

Product Dimensions: 576(W)\*384(D) x 95(H)mm




TL2863

- Auto mode
- Child lock
- Wi-Fi
- Ultra Silence Mode
- Timer
- Digital display
- Filter Replace Reminder



## TL2863

Multi-Function Air Purifier  
House-use Series



# Portable Series

Compact and powerful design for car enthusiasts. Easy positioning and convenient operation. Health accompany you along the road.



### Basic Information

- PCADR:10m³/h
- Noise level:≤45dB(A)
- Power consumption:1.5W
- Net weight:0.3KG

Product Dimensions: 98(W) x 98(D) x 150(H)mm



TL2601



TL2601





family

TL2605

### Basic Information

- PCADR:10m<sup>3</sup>/h
- Noise level:≤45dB(A)
- Power consumption:2.5W
- Net weight:0.5KG

Product Dimensions: 98(W) x 98(D) x 150(H)mm



TL2605

### Basic Information

- PCADR:18m³/h
- Noise level:≤54dB(A)
- Power consumption:5.5W
- Net weight:0.63KG

Product Dimensions: 208(W) x 208(D) x 75(H)mm



TL2607





**TL2613**

#### Basic Information

- PCADR:30m<sup>3</sup>/h
- Noise level:54dB(A)
- Power consumption:5W
- Net weight:0.8KG

Product Dimensions: 220(W) x 170(D) x 70(H)MM



**TL2613**

# Desktop Series

Essential for metropolitan people to enjoy wonderful moments in healthy modern life.



# TL2831

Multi-Function Air Purifier  
House-use Series



## Basic Information

- |                              |                                       |                        |
|------------------------------|---------------------------------------|------------------------|
| ● PCADR:100m <sup>3</sup> /h | ● Application area:7-12m <sup>2</sup> | ● Noise level:≤58dB(A) |
| ● PCCM:P1                    | ● Power consumption:9W                | ● Net weight:2.35KG    |

Product Dimensions: 210(W) x 210(D) x 290(H)mm



TL2831



Auto mode



Ultra Silence Mode



Filter Replace Reminder



Child lock

### Basic Information

- PCADR:150m<sup>3</sup>/h
- Application area:10-18m
- Noise level:61dB(A)
- PCCM:P2
- Power consumption:18W
- Net weight:2.6KG

Product Dimensions: 210(W) x 210(D) x 340(H)mm



TL2732

-  Auto mode
-  Ultra Silence Mode
-  Filter Replace Reminder
-  Wind speed



## TL2732

Multi-Function Air Purifier  
House-use Series

# TL2713

Multi-Function Air Purifier  
House-use Series



## Basic Information

- |                 |                            |                       |
|-----------------|----------------------------|-----------------------|
| ● PCADR:180m³/h | ● Application area:12-21m² | ● Noise level:61dB(A) |
| ● PCCM:P2       | ● FCADR:40m³/h             | ● Net weight:2.8KG    |
| ● FCCM:F1       | ● Power consumption:21W    |                       |

Product Dimensions: 220(W) x 220(D) x 361(H) mm



TL2713

- |            |                       |                         |
|------------|-----------------------|-------------------------|
| Auto mode  | Child lock            | Ultra Silence Mode      |
| Timer      | PM2.5 Digital display | Filter Replace Reminder |
| Wind speed |                       |                         |

### Basic Information

- PCADR:150m³/h
- Application area:10-18m²
- Noise level:≤61dB(A)
- PCCM:P1
- Power consumption:20W
- Net weight:2KG

Product Dimensions: 205(W) x 205(D) x 406(H)mm



TL2707



Child lock



Ultra Silence Mode



Filter Replace Reminder



# TL2707

Multi-Function Air Purifier  
House-use Series



# TL2708

Multi-Function Air Purifier  
House-use Series



## Basic Information

- PCADR:150m³/h
- Application area:10-18m²
- Noise level:≤61dB(A)
- PCCM:P1
- Power consumption:20W
- Net weight:3KG

Product Dimensions: 252(W) x 252(D) x 443(H)mm



TL2708



Child lock



Ultra Silence Mode



Filter Replace Reminder

### Basic Information


- |                              |  |           |
|------------------------------|--|-----------|
| ● PCADR:200m <sup>3</sup> /h | ● Application area:14-24m <sup>2</sup> | ● PCCM:P2 |
| ● FCADR:40m <sup>3</sup> /h  | ● Noise level:≤61dB(A)                 | ● FCCM:F1 |
| ● Power consumption:24W      | ● Net weight:3KG                       |           |

Product Dimensions: 220(W) x 220(D) x 360(H)mm



TL2716

- |                         |            |       |                    |
|-------------------------|------------|-------|--------------------|
| 3 fan speed             | Auto mode  | Wi-Fi | Ultra Silence Mode |
| Filter Replace Reminder | Child lock |       |                    |



TL2716

Multi-Function Air Purifier  
House-use Series



TL2710

Multi-Function Air Purifier  
House-use Series










**Basic Information**

● PCADR:230m³/h	● Application area:16-28m²	● PCCM:P3
● FCADR:40m³/h	● Noise level:≤61dB(A)	● FCCM:F1
● Power consumption:26W	● Net weight:3KG	

Product Dimensions: 260(W) x 260(D) x 420(H)mm



TL2710

-  Auto mode
-  Ultra Silence Mode
-  Filter Replace Reminder
-  Child lock
-  Wind speed
-  APP Wi-Fi
-  UVC Sterilizer

### Basic Information

- |                                   |   |              |
|-----------------------------------|---|--------------|
| ● PCADR:100/200 m <sup>3</sup> /h | ● Application area:7-12/14-24m <sup>2</sup> | ● PCCM:P1/P2 |
| ● FCADR:20/40m <sup>3</sup> /h    | ● Noise level:≤58/61dB(A)                   | ● FCCM:F1    |
| ● Power consumption:10/24W        | ● Net weight:1.7/3KG                        |              |

Product Dimensions:175(W) x 211(D) x 288(H)mm / 260(W) x 260(D) x 420(H)mm



TL2715



TL2717

- |                         |            |           |                    |
|-------------------------|------------|-----------|--------------------|
| 3 fan speed             | Auto mode  | APP Wi-Fi | Ultra Silence Mode |
| Filter Replace Reminder | Child lock |           |                    |



## TL2717

Multi-Function Air Purifier  
House-use Serie

# TL2867

Multi-Function Air Purifier  
House-use Series



## Basic Information

- PCADR:120m³/h
- Application area:8-14m²
- Noise level:61dB(A)
- PCCM:P1
- Power consumption:20W
- Net weight:2.45KG

Product Dimensions: 315(W) x 105(D) x 342(H)mm



TL2867



Auto mode



Ultra Silence Mode



Filter Replace Reminder



Child lock

### Basic Information

- |                         |                            |           |
|-------------------------|----------------------------|-----------|
| ● PCADR:320m³/h         | ● Application area:22-38m² | ● PCCM:P4 |
| ● FCADR:120m³/h         | ● Noise level:≤66dB(A)     | ● FCCM:F3 |
| ● Power consumption:30W | ● Net weight:3.5KG         |           |

Product Dimensions: 250(W) x 250(D) x 420(H)mm



TL2821

- |                         |            |           |                    |
|-------------------------|------------|-----------|--------------------|
| Wind speed              | Auto mode  | APP Wi-Fi | Ultra Silence Mode |
| Filter Replace Reminder | Child lock |           |                    |



TL2821

Multi-Function Air Purifier  
House-use Series

# TL2718

Multi-Function Air Purifier  
House-use Series









## Basic Information

- |                         |                            |           |
|-------------------------|----------------------------|-----------|
| ● PCADR:240m³/h         | ● Application area:16-28m² | ● PCCM:P3 |
| ● FCADR:60m³/h          | ● Noise level:≤61dB(A)     | ● FCCM:F2 |
| ● Power consumption:26W | ● Net weight:3.5KG         |           |

Product Dimensions: 236(W) x 236(D) x 423(H) mm



TL2718

- |  |   |   |  |
|--|---|---|--|
|  Wind speed         |  Auto mode               |  APP Wi-Fi |  Child lock |
|  Ultra Silence Mode |  Filter Replace Reminder |   |  |







### Basic Information

- |                         |                            |           |
|-------------------------|----------------------------|-----------|
| ● PCADR:240m³/h         | ● Application area:16-28m² | ● PCCM:P3 |
| ● FCADR:60m³/h          | ● Noise level:≤61dB(A)     | ● FCCM:F2 |
| ● Power consumption:26W | ● Net weight:3.5KG         |           |

Product Dimensions: 236(W) x 236(D) x 423(H)mm



TL2719

- |  |   |   |   |
|--|---|---|---|
|  Wind speed         |  Auto mode               |  APP Wi-Fi |  Child lock |
|  Ultra Silence Mode |  Filter Replace Reminder |   |   |



TL2719

Multi-Function Air Purifier  
House-use Series



### Basic Information

- |                 |                            |                         |
|-----------------|----------------------------|-------------------------|
| ● PCADR:240m³/h | ● Application area:16-28m² | ● Noise level:61dB(A) ² |
| ● PCCM:P3       | ● FCADR:60m³/h             | ● Net weight:8KG        |
| ● FCCM:F1       | ● Power consumption:26W    |                         |

Product Dimensions: 285(W) x 285(D) x 704(H) mm



TL2847

- |            |                        |                         |
|------------|------------------------|-------------------------|
| Auto mode  | Child lock             | Ultra Silence Mode      |
| Timer      | PM 2.5 Digital display | Filter Replace Reminder |
| Wind speed | PTC heating            |                         |



TL2847

Multi-Function Air Purifier  
House-use Series

# TL2813

Multi-Function Air Purifier  
House-use Series



## Basic Information

- PCADR:220m<sup>3</sup>/h
- PCCM:P3
- Noise level:61dB(A)
- Application area:15-26m<sup>2</sup>
- FCADR:40m<sup>3</sup>/h
- FCCM:F1
- Net weight:6KG
- Power consumption:25W

Product Dimensions: 286(W) x 286(D) x 730(H) mm



TL2813

-  Auto mode
-  Child lock
-  Ultra Silence Mode
-  Timer
-  PM2.5 Digital display
-  Filter Replace Reminder
-  Wind speed

### Basic Information

- PCADR:600m³/h / 1000m³/h / 1200m³/h    ● Application area:42-72m² / 70-120m² / 84-144m²
- Noise level:69/69/69dB(A)    ● PCCM:P4/P4/P4    ● Power consumption:68W/88W/95W
- FCADR:300m³/h / 500m³/h / 600m³/h    ● FCCM:F4/F4/F4    ● Net weight:12.8KG/16.5KG/20.5KG

Product Dimensions: 363(W) x 363(D) x 552(H) mm / 363(W) x 363(D) x 726(H) mm  
363(W) x 363(D) x 900(H) mm



TL2913A

TL2913B

TL2913C

- UTO Auto mode
- Child lock
- Ultra Silence Mode
- Timer
- PM2.5 Digital display
- Filter Replace Reminder
- UVC Sterilizer



TL2913A/TL2913B/TL2913C

Multi-Function Air Purifier  
House-use Series

### Basic Information

● Noise level:63dB    ● Power consumption:5W/15W    ● Number of leaves:5pcs

● Net weight:2.5KG/5.5KG

Product Dimensions: 140(W) x 240(D) x 339(H)mm / 400(W) x 335(D) x 989(H)mm



TL2302



TL2301

- 3 fan speed
- Shake head
- Timer
- Remote control
- Natural wind
- Sleep wind
- Fixed frequency



## TL2301/TL2302

Multi-Function Air Purifier  
House-use Series

# Outdoor series

Impact and powerful design for car enthusiasts. Easy positioning and convenient operation.



# TL8603

25L Cooler & Warmer



## Basic Information

- Start-up voltage: 12V/24V
- Internal volume: 25L
- Refrigerating fluid: R-1234yf
- Impact protection grade&Waterproof: III&IPX4
- Cooling mode: -18°C / -10°C / 0°C / 5°C / 10°C
- Heating mode: 55°C / 60°C
- Insulation/foam material: Polyurethane foam/Cyclopentane
- Insulation thickness: 33mm
- Power: Cooling: 95W / Heating: 44W
- External dimension: 668\*360\*414mm
- Internal dimension: 337\*261\*291mm
- Running time(With2 battery pack): Controlling temperature: -18°C: about 4.5hours/5°C: about 16 hours  
60°C: about 4 hours

Product Dimensions: 668(W) x 360(D) x 414(H)mm



TL8603

- ⚡ large capacity
- ⚡ High power
- 🔌 work when charging
- 📡 sinusoidal wave output
- 🔌 multiple output, ultra wide compatibility
- 🔌 Three ways to charge
- 🔌 strong batteries, Sufficient capacity
- 📄 Strict quality inspection
- 🛡️ multi-protection



# TL-300A

Portable power station  
For Outdoors Camping Travel Hunting Emergency

### Basic Information

- Battery Capacity: 300Wh
- Output Waveform: Sinoidal
- USB Port: 5V / 2.4A
- Type-C: 5V / 2.4A
- DC Port Output: 12V - 10A
- AC Port Output: 110V-50Hz
- AC POWER Output: 300W;MA X 600W
- Operating Temperature: 10 ~40 C
- Weight: about 5KG

Product Dimensions: 290(W) x 182(D) x 154(H)mm



### TL300A

- ⚡ large capacity
- ⚡ High power
- 🔌 work when charging
- 📡 sinusoidal wave output
- 🔌 multiple output, ultra wide compatibility
- 🔌 Three ways to charge
- 🔌 strong batteries, Sufficient capacity
- 📄 Strict quality inspection
- 🛡️ multi-protection

### Basic Information

- Battery Capacity: 650/1500Wh
- Output Waveform: Sinoidal
- USB Port: 5V - 2.4A
- Type-C: PD 30W\*2
- DC Port Output: 12V - 10A
- AC Port Output: 110V-50Hz
- AC POWER Output: 600W;MAX 1200W / 1200W;MAX 2400W
- Operating Temperature: 10 ~40℃
- Weight: about 7.5KG / about 11.5KG

Product Dimensions: 330(W) x 263(D) x 214(H)mm / 380(W) x 314(D) x 226(H)mm



TL600A



TL1200A

- ⚡ large capacity
- ⚡ High power
- 🔌 work when charging
- 📡 sinusoidal wave output
- 🔌 multiple output, ultra wide compatibility
- 🔌 Three ways to charge
- 🔌 strong batteries, Sufficient capacity
- 📄 Strict quality inspection
- 🛡️ multi-protection



## TL-600A/TL-1200A

Portable power station  
For Outdoors Camping Travel Hunting Emergency



### Basic Information

● Battery Capacity: 650/1500Wh    ● Output Waveform: Sinoidal    ● USB Port: 5V - 2.4A

● Type-C: PD 30W\*2    ● DC Port Output: 12V - 10A    ● AC Port Output: 110V-50Hz

● AC POWER Output: 600W;MAX 1200W / 1200W;MAX 2400W




● Operating Temperature: 10 ~40℃    ● Weight: about 7.5KG / about 11.5KG

Product Dimensions: 370(W) x 260(D) x 190(H)mm / 425(W) x 280(D) x 226(H)mm



TL600B

TL1200B

 large capacity     High power     work when charging

 sinusoidal wave output     multiple output, ultra wide compatibility

 Three ways to charge     strong batteries, Sufficient capacity

 Strict quality inspection     multi-protection



TL600B/TL1200B

Portable power station  
For Outdoors, Camping, Travel, Hunting, Emergency



## TL-2001/2002

Portable power station  
For Outdoors Camping Travel Hunting Emergency

### Basic Information

- Built-in 3 high-rate power lithium batteries of 2000 mAh, charging time is 3-4 hours
- 2 gear design, high-end provides 13000KPA suction, and the battery life is about 15 minutes  
The low-end provides 8000KPA suction, and the battery life is about 30 minutes
- With the function of blowing and sucking, it can deeply clean the gap.
- Charging interface TYPE-C interface      ● With 2-in-1 suction nozzle and blowing tube
- The noise is less than 75 decibels      ● 80000 rpm high speed brushless motor
- Double filtration system, ABS initial effect can block large particles, two-layer HEPA filter, can be washed with clean water and recycled.

Product Dimensions: TL2001: 367 x 81 x 55mm      TL2002: 331.5 x 60 x 60mm



TL-2001



TL-2002

- ⚡ large capacity
- ⚡ High power
- 🔌 work when charging
- 📡 sinusoidal wave output
- 🔌 multiple output, ultra wide compatibility
- 🔌 Three ways to charge
- 🔌 strong batteries, Sufficient capacity
- 📄 Strict quality inspection
- 🛡️ multi-protection

### Basic Information

- Built-in 2 26700 high-rate power batteries with a total capacity of 8000 mAh
- The maximum pressure is 120PSI, which can easily inflate road bicycle tires ● with lights
- The whole tire is inflated for about 5 minutes, and about 5 tires can be charged with a full charge
- with multi-mode multi-unit LCD screen (modes include, car, motorcycle, bicycle, ball. Units include PSI, BAR, KPA.)
- Over 10L/min of super airflow ● It can be used as a mobile power bank with 5V2A output
- With ball needle, French conversion head, air needle attachment, suitable for inflating various objects
- With the automatic stop function of the set pressure, it will stop automatically when the tire pressure reaches the set pressure. 8 charging interface TYPE-C interface, charging time 4-5 hours

Product Dimensions: TL6101: 57.6 x 60 x 250154mm TL6102: 120 x 114 x 43mm



TL6101



TL6102

- ⚡ large capacity
- ⚡ High power
- 🔌 work when charging
- 📶 sinusoidal wave output
- 🔄 multiple output, ultra wide compatibility
- 🔌 Three ways to charge
- 🔋 strong batteries, Sufficient capacity
- 📄 Strict quality inspection
- 🛡️ multi-protection



# TL6201

## Portable power station

For Outdoors Camping Travel Hunting Emergency












### Basic Information

- Built-in 3 26700 high-rate power batteries with a total capacity of 12,000 mAh
- The maximum pressure is 150PSI, which can easily complete the inflation of road bicycle tires
- The whole tire is inflated for about 3 minutes, and about 9 tires can be charged with a full charge
- with multi-mode multi-unit LCD screen (modes include, car, motorcycle, bicycle, ball. Units include PSI, BAR, KPA.)
- Over 18L/min of super airflow      ● The tool battery pack can be changed      ● with lights
- With accessories such as ball needle, French conversion head, air needle, blower trachea, etc., it is suitable for inflating various objects
- With the automatic stop function of the set pressure, it will stop automatically when the tire pressure reaches the set pressure
- With a large flow blower, the air volume is 25.7 cubic meters per hour = 428L/min
- The blower has the function of inflating and deflating, which can quickly charge and enlarge the equipment such as air-bed, hovercraft, etc
- Charging interface TYPE-C interface, charging time 5-6 hours

Product Dimensions: TL6201: 250 x 160 x 190mm



TL6201

-  large capacity
-  High power
-  work when charging
-  sinusoidal wave output
-  multiple output, ultra wide compatibility
-  Three ways to charge
-  strong batteries, Sufficient capacity
-  Strict quality inspection
-  multi-protection

### Basic Information

- Built-in 3 26700 high-rate power batteries with a total capacity of 12,000 mAh
- The maximum pressure is 150PSI, which can easily complete the inflation of road bicycle tires
- The whole tire is inflated for about 3 minutes, and about 9 tires can be charged with a full charge
- with multi-mode multi-unit LCD screen (modes include, car, motorcycle, bicycle, ball. Units include PSI, BAR, KPA.)
- Over 18L/min of super airflow      • The tool battery pack can be changed      • with lights
- With ball needle, French conversion head, air needle accessories, suitable for inflating various objects
- With the automatic stop function of the set pressure, it will stop automatically when the tire pressure reaches the set pressure
- Charging interface TYPE-C interface, charging time 5-6 hours

Product Dimensions: TL6005: 290 x 195 x 95mm      TL6006: 340 x 135 x 250mm



TL6005



TL6006

- |   |   |  |
|---|---|--|
|  large capacity            |  High power                                |  work when charging |
|  sinusoidal wave output    |  multiple output, ultra wide compatibility |  |
|  Three ways to charge      |  strong batteries, Sufficient capacity     |  |
|  Strict quality inspection |  multi-protection                          |  |



## TL6005/TL6006

Portable power station  
For Outdoors Camping Travel Hunting Emergency